

U65 FIRST RESPONDERS

BASIC PPO PLAN

Featuring the
Anthem
BlueCard PPO Network



The BASIC PPO Plan covers Preventive and Wellness Services, Inpatient and Outpatient Hospital, Physician Services and Pharmacy Benefits. The plan features the **Anthem Blue Cross and Blue Shield BlueCard** Preferred Provider (PPO) network and requires deductibles, coinsurance, and copays for various covered In-Network services and some Out-of-Network services.

Deductible [†]	Participating Providers (In-Network)	Non-Participating Providers (Out-of-Network) ¹
Individual	\$5,000	\$10,000
Family	\$10,000	\$20,000

Out-of-Pocket Maximum [†]	Participating Providers (In-Network)	Non-Participating Providers (Out-of-Network) ¹
Individual	\$5,000	\$10,000
Family	\$10,000	\$20,000

The following table represents the medical services currently covered under the BASIC PPO Plan, as well as the permitted interval and any requirements of such medical services.

Plan Provisions	Prior Auth Required ²	Participating Providers (In-Network)	Non-Participating Providers (Out-of-Network) ¹
PHYSICIAN SERVICES			
Primary Care Office Visit Limited to 3 visits per plan year [†]	No	\$15 Copay	100% covered, after deductible
Specialist Office Visit Limited to 3 visits per plan year [†]	No	\$15 Copay	100% covered, after deductible
X-ray and Lab Services Performed in the Office	No	100% covered, after deductible	100% covered, after deductible
Other Physician Services Performed in the Office³	Yes ⁴	100% covered, after deductible	100% covered, after deductible
Urgent Care Limited to 3 visits per plan year [†]	No	\$50 Copay	100% covered, after deductible
Telemedicine Vendor Services	No	\$0 Copay	Not Applicable
PREVENTIVE & WELLNESS SERVICES			
(See Schedule of Preventive Health Services)	No	\$0 Copay	100% covered, after deductible
Adult Routine Physical Exam, Annual Routine Mammogram, GYN Exam and PSA	No	\$0 Copay	100% covered, after deductible
HOSPITAL/FACILITY SERVICES			
Inpatient Hospitalization	Yes	100% covered, after deductible	100% covered, after deductible
Inpatient Visits - Physician	No	100% covered, after deductible	100% covered, after deductible
Inpatient Surgery - Physician and Anesthesiologist Charges (Second surgical opinion may be required)	Yes	100% covered, after deductible	100% covered, after deductible
Outpatient Hospital or Freestanding Facility Services and Surgery	Yes	100% covered, after deductible	100% covered, after deductible
Anesthesia	No	100% covered, after deductible	100% covered, after deductible
Emergency Room Facilities and Covered Services	No	\$1,000 Copay (waived if admitted) (Hospital charges subject to deductible and coinsurance)	\$1,000 Copay (waived if admitted) (Hospital charges subject to deductible and coinsurance)
OUTPATIENT DIAGNOSTIC SERVICES			
Laboratory & Minor Diagnostic Services (Laboratory Services, Ultrasounds, Bone Density, Echography, etc.)	Non-Hospital Based	No	100% covered, after deductible
	Hospital Based	Yes	100% covered, after deductible
Radiology	Non-Hospital Based	No	100% covered, after deductible
	Hospital Based	Yes	100% covered, after deductible
CT/MRI/MRA/PET Scan	Non-Hospital Based	Yes	100% covered, after deductible
	Hospital Based	Yes	100% covered, after deductible

Plan Provisions		Prior Auth Required ²	Participating Providers (In-Network)	Non-Participating Providers (Out-of-Network) ¹
PREGNANCY BENEFITS				
Office Visits and Professional Services		No	100% Covered, after deductible	100% Covered, after deductible
Maternity/Childbirth/Delivery (Considered Inpatient Hospital Stay)		Yes	100% Covered, after deductible	100% Covered, after deductible
OTHER SERVICES				
Chemotherapy/Radiation Therapy		Yes	100% Covered, after deductible	100% Covered, after deductible
Chiropractic Care (Limited to 10 visits per plan year)		No	100% Covered, after deductible	100% Covered, after deductible
Colonoscopy (Diagnostic purposes)		Yes	100% Covered, after deductible	100% Covered, after deductible
Dialysis		No	100% Covered, after deductible	100% Covered, after deductible
Durable Medical Equipment (Pre-authorization required for expenses over \$500)		Yes	100% Covered, after deductible	100% Covered, after deductible
Emergency Medical Transportation (Ground Service Only)		No	100% Covered, after deductible	100% Covered, after deductible
Home Health Care (Limited to 120 visits per plan year)		Yes	100% Covered, after deductible	100% Covered, after deductible
Hospice Care		Yes	100% Covered, after deductible	100% Covered, after deductible
Rehabilitation/Habilitation Services (Physical, Speech, and Occupational; Combined limit of 25 visits per plan year. Pre-authorization is required after 6 visits)		Yes	100% Covered, after deductible	100% Covered, after deductible
Skilled Nursing Care (Limited to 120 days per plan year)		Yes	100% Covered, after deductible	100% Covered, after deductible
Sleep Apnea (Limited to at-home testing and \$500 annual maximum benefit for machine and supplies)		Yes	100% Covered, after deductible	100% Covered, after deductible
Transplant - Facility		Yes	100% Covered, after deductible	100% Covered, after deductible
Transplant - Physician and Anesthesiologist Charges during Inpatient Hospitalization		Yes	100% Covered, after deductible	100% Covered, after deductible
Mental Health, Behavioral Health, or Substance Abuse Services	Inpatient or Partial Day	Yes	100% Covered, after deductible	100% Covered, after deductible
	Outpatient or Freestanding Facility Services and Surgery	Yes	100% Covered, after deductible	100% Covered, after deductible
	Office Visits <i>Limited to 3 visits per plan year[†]</i>	No	\$15 Copay	100% Covered, after deductible
VISION BENEFITS⁵				
In-Office Comprehensive Vision Exams		No	\$0 Copay	Up to \$35 benefit
Frame Discount (1 per 24 months) Discount on prescription and non-prescription frames		800+ frames at \$20 member cost additional 2,700+ frames at 75% off retail		
Contact Lens Discount (1 per 12 months) Discount in addition to frames and lenses discounts		Member cost at wholesale pricing for up to a 12-month supply		
PHARMACY BENEFITS			Retail⁷ (30-day supply)	Mail Order (90-day supply)
Prescription Medications⁶ (Subject to Formulary)				
ACA Preventive Drugs			\$0 Copay	\$0 Copay
Generic Drugs (<i>non-preventive</i>)			\$5 Copay	\$10 Copay
Preferred Brand Drugs			Not Covered	
Non-Preferred Brand Drugs			Not Covered	
Specialty Drugs			Not Covered	
Automated Diabetic Supplies (Continuous glucose monitors (CGMs) and insulin pumps)			Plan pays 80% <i>(Plan pays 60% if dispensed by non-participating pharmacy)</i>	

¹ In addition to the copay or coinsurance listed, the member will also be responsible for any billed charges in excess of 140% of the Medicare reimbursement rate for institutional providers (e.g., hospitals), and 120% for non-institutional providers (e.g., doctors & clinics). Such charges will not apply toward the satisfaction of the plan's Out-of-Pocket Maximum.

² If prior authorization is not obtained for services requiring a prior authorization, the claims for benefits will be denied unless authorization is secured within 90 days from the date of service.

³ The plan will only reimburse buy and bill drugs up to the lesser of the allowed amount or network rate or the amount that the Third-Party Administrator or Pharmacy Benefits Manager could source the drug for.

⁴ Prior authorization is required for any service or procedure over \$1,000.

⁵ Vision benefits are provided outside of the Group Health Plan through a service contract and are subject to provisions and limitations in the HBAVisionSM Summary of Benefits.

⁶ To be eligible for pharmacy benefits covered prescriptions must be dispensed through participating pharmacies and mail order channels.

⁷ Retail copay for 90-day supply is 2x the retail copay for 30-day supply.

Exclusions

The following exclusions apply to the benefits offered under this Plan:

1. Office visits, physical examinations, immunizations, and tests when required solely for the following:
 - a. Sports,
 - b. Camp,
 - c. Employment,
 - d. Travel,
 - e. Insurance,
 - f. Marriage,
 - g. Legal proceedings
2. Routine foot care for treatment of the following:
 - a. Flat feet,
 - b. Corns,
 - c. Bunions,
 - d. Calluses,
 - e. Toenails,
 - f. Fallen arches,
 - g. Weak feet,
 - h. Chronic foot strain
3. Dental Procedures
4. Any other medical service, treatment, or procedure not specifically listed in this Schedule of Benefits
5. Any other expense, bill, charge, or monetary obligation not covered under this Plan, including but not limited to all non-medical service expenses, bills, charges, and monetary obligations. Unless the medical service is explicitly provided by an appendix or otherwise explicitly provided in the Plan Document, this Plan does not cover the medical service or any related expense, bill, charge, or monetary obligation to the medical service
6. Claims unrelated to treatment of medical care or treatment
7. Cosmetic surgery unless authorized as medically necessary. Such authorization is based on the following causes for cosmetic surgery: accidental injury, correction or congenital deformity within six (6) years of birth, or as a treatment of a diseased condition
8. Any treatment with respect to treatment of teeth or periodontium, any treatment of periodontal or periapical disease involving teeth surrounding tissue, or structure. Exceptions to this exclusion include only malignant tumors or benefits specifically noted in the schedule of benefits or the Plan Document
9. Any claim related to an injury arising out of, or in the course of, any employment for wage or profit that would be covered by other coverage for which the member is eligible
10. Claims for which a participant is not legally required to pay or claims which would not have been made if this Plan had not existed
11. Claims for services which are not medically necessary as determined by this Plan or the excess of any claim above reasonable and customary rates when a PPO network has not been contracted
12. Charges which are or could be reimbursed by any public health program irrespective of whether such coverage has been elected by a participant
13. Claims due to an act of war, declared or undeclared, not including acts of terrorism
14. Claims for eyeglasses, contacts, hearing aids (or examinations for the fitting thereof) or radial keratotomy
15. Elective, voluntary abortions, except in the case of rape, incest, or congenital deformities of the fetus as determined through pre-natal testing, or when the life of the mother would be threatened if the fetus were carried to term
16. Travel, unless specifically provided in the schedule of benefits
17. Custodial care for primarily personal, not medical, needs provided by persons with no special medical training or skill
18. Claims from any provider other than a healthcare provider as defined in the Plan Document unless explicitly permitted in the schedule of benefits
19. Investigatory or experimental treatment, services, or supplies unless specifically covered under Approved Clinical Trials
20. Services or supplies which are primarily educational
21. Claims due to attempted suicide or intentionally self-inflicted injury while sane or insane, unless the claim results from a medical condition such as depression
22. Claims resulting from, or which arise due to the attempt or commission of, an illegal act. Claims by victims of domestic violence will not be subject to this exclusion
23. Claims with respect to any treatment or procedure to change one's physical anatomy to those of the opposite sex and any other treatment or study related to sex change
24. Claims from a medical service provider who is related by blood, marriage, or legal adoption to a participant
25. Any claims for fertility or infertility treatment
26. Claims for weight control, weight reduction, or surgical treatment for obesity or morbid obesity, unless explicitly provided in the schedule of benefits
27. Claims for disability resulting from reversal of sterilization
28. Claims for the completion of forms, or failure to keep scheduled appointments
29. Recreational or diversional therapy
30. Personal hygiene or convenience items, including but not limited to air conditioning, humidifiers, hot tubs, whirlpools, or exercise equipment, irrespective of the recommendations or prescriptions of a medical service provider
31. Claims for the care and/or treatment of an injury or illness resulting from engaging in a hazardous pursuit, hobby, or activity. A pursuit, hobby, or activity is hazardous if it is characterized by a constant threat of danger or by an increased risk of bodily harm. Examples of hazardous pursuits, hobbies or activities include, but are not limited to, adventure sports such as skydiving, hang gliding, rappelling, rock climbing, bungee jumping, parasailing, use of all-terrain vehicles, motorcycle, boat or automobile racing, skiing off-piste, snowboarding off-piste, and activities such as reckless operation of a vehicle or other machinery, and motorcycle riding without a helmet
32. Claims that arise primarily due to medical tourism
33. Supportive devices of the foot
34. Treatments for sexual dysfunction
35. Aquatic or massage therapy
36. Biofeedback training
37. Private duty nursing, or long-term care
38. Residential facility – for charges from a residential halfway house or home, or any facility which is not a health care institution licensed for the primary purpose of treatment of an illness or injury
39. Claims for temporomandibular joint syndrome
40. Claims for biotech or specialty drugs, including biologics and hemophiliac drugs
41. Genetic testing unless explicitly covered in the schedule of benefits
42. Claims for cosmetic surgery, not related to mastectomy reconstruction to produce a symmetrical appearance or prosthesis, or physical complications which result from such procedures
43. Acupuncture
44. Alternative medicine/homeopathy
45. Pediatric dental and vision
46. Routine eye care (Adult)
47. All maternity coverage for dependent children, including adult children up to age 26, and all coverage for the resultant newborn child. However, ACA mandated Preventive Health Services are not excluded
48. Use of Emergency Room Services for non-emergency care
49. This coverage does not include benefits for grandchildren (unless they are under your legal guardianship)
50. Any claim arising from service received outside of the United States and its territories of American Samoa, Guam, the Northern Mariana Islands, Puerto Rico and the U.S. Virgin Islands
51. Emerging gene and cell therapies
52. CAR-T therapies

The purpose of this list of exclusions is solely to provide additional clarity regarding treatments, procedures, products, services, or any other items which are not covered under this plan. Accordingly, no exclusion shall be interpreted by negative implication, or otherwise, as evidence of the existence of coverage under this plan.



Preventive Health Services: Limitations, Intervals, and Requirements

The following table represents the preventive services currently covered under this Plan as well as the permitted interval and any requirements of such preventive services. Benefits are automatically subject to 29 CFR § 2590.715 -2713(a). Amendments to this section through legislative act or regulation are automatically incorporated into this document by reference.

Preventive Health Services		
Covered Benefits		
Preventive Services covered in this section are explained in more detail through the following official resources: - Medical services with a rating of “A” or “B” from the current recommendations of the United States Preventive Services Task Force. See https://www.uspreventiveservicestaskforce.org - Preventive care and screenings for infants, children, and adolescents provided for in the comprehensive guidelines supported by the Health Resources and Services Administration and The Bright Futures/American Academy of Pediatrics. Guidelines can be found in https://www.hrsa.gov and https://www.aap.org/periodicityschedule. - Immunizations recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for certain individuals only. See https://www.cdc.gov/vaccines/acip		
Benefit	Interval	Requirements
Abdominal Aortic Aneurysm Screening	1 per lifetime	By ultrasonography in men ages 65-75 years who have ever smoked.
Adult Annual Standard Physical	1 per plan year	Adults , one (1) physical preventive exam per plan year.
Alcohol Misuse: Unhealthy Alcohol Use Screening and Counseling	1 per plan year	Screenings for unhealthy alcohol use in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.
Anxiety Disorders in Adults	1 per plan year	Screening for anxiety disorders in adults 64 years or younger, including pregnant and postpartum persons.
Anxiety in Children and Adolescents	1 per plan year	Screening for anxiety disorders in children and adolescents aged 8 to 18 years.
Aspirin: Preventive Medication	As prescribed	Adults ages 50 to 59 with high risk of cardiovascular diseases and for the primary prevention of cardiovascular disease and colorectal cancer. Low-dose aspirin (81 mg/d) as preventive medication for women after 12 weeks of gestation who are at high risk for preeclampsia.
Bacteriuria Screening	1 per plan year	Screening for asymptomatic bacteriuria with urine culture in pregnant women at 12 to 16 weeks' gestation or at the first prenatal visit, if later.
BRCA Risk Assessment and Genetic Counseling/Testing	1 per plan year	Screening to women who have family members with breast, ovarian, tubal, or peritoneal cancer with one of several screening tools designed to identify a family history that may be associated with an increased risk for potentially harmful mutations in breast cancer susceptibility genes (<i>BRCA</i> 1 or <i>BRCA</i> 2). Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing.
Breast Cancer Preventive Medications	As prescribed	Risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors for women aged 35 years or older who are at increased risk for breast cancer and at low risk for adverse medication effects.
Breast Cancer Screening	Every 2 years	Coverage limited to one (1) biennial screening mammography (2D or 3D), with or without clinical breast examination (CBE), for women aged 40 to 74 years.
Breastfeeding Support, Supplies and Primary Care Behavioral Counseling Interventions	In Conjunction with each birth	Interventions during pregnancy and after birth to support breastfeeding. Costs for new or renting breastfeeding equipment will be covered in conjunction with each birth.
Cervical Cancer Screening: with Combination of Cytology and Human Papilloma Virus (HPV) testing	1 time every 5 plan years	Women age 30 to 65 years with high-risk papillomavirus (hrHPV) testing alone, or in combination with cytology.
Cervical Cancer Screening: with Cytology (Pap Smear)	1 time every 3 plan years	Women age 21 to 65 years with cervical cytology alone.
Chlamydia Screening	1 per plan year	Sexually active women age 24 and younger and in women 25 years or older who are at increased risk infection.
Cholesterol abnormalities screening	1 time ever year	Adults of certain ages or at higher risk
Colorectal Cancer Screening	1 time every 5 plan years	All adults aged 45 to 75 years.
Contraceptive Methods and Counseling	As prescribed	Food and Drug Administration (FDA) approved contraceptive methods, sterilization procedures, and patient education and counseling for all women with reproductive capacity, not including abortifacient drugs.
Dental Caries Prevention: Infants and Children Up to Age 5	1 per plan year	Application of fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption and prescription of oral fluoride supplementation starting at age 6 months for children whose water supply is fluoride deficient.
Depression and Suicide Risk Screening	1 per plan year	Screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up Screening for depression in the general adult population, including pregnant and postpartum persons, as well as older adults . Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. Pregnant and postpartum persons at increased risk of perinatal depression should be referred to counseling interventions.
Fall Prevention: Older Adults	1 per plan year	Exercise interventions to prevent falls in community-dwelling adults age 65 years and older who are at increased risk for falls.
Folic Acid Supplementation for the Prevention of Neural Tube Defects	As prescribed	Daily supplement containing 0.4 to 0.8 mg (400 to 800µg) of folic acid for all women planning or capable of pregnancy.
Gestational Diabetes Screening	1 per plan year	Asymptomatic pregnant women at 24 weeks of gestation or after.
Gonorrhea Screening	1 per plan year	Sexually active women age 24 years or younger and in women 25 years or older who are at increased risk for infection.
Healthy Diet and Physical Activity Counseling to Prevent Cardiovascular Disease	1 per plan year	Adults with cardiovascular disease (CVD) risk factors to intensive behavioral counseling interventions to promote a healthy diet and physical activity.
Healthy weight and weight gain in pregnancy	1 per plan year	Pregnant persons , effective behavioral counseling interventions aimed at promoting healthy weight gain and preventing excess gestational weight gain in pregnancy

Preventive Health Services

Benefit	Interval	Requirements
Hemoglobinopathies Screening	1 per plan year	Screening for sickle cell disease in newborns .
Hepatitis B Virus Infection Screening	1 per plan year	Adolescent and adults at increased risk for infection. Pregnant women at their first prenatal visit.
Hepatitis C Virus (HCV) Infection Screening	1 per plan year	Adults aged 18 to 79 years.
High Blood Pressure Screening	1 per plan year	Screening for high blood pressure in adults aged 18 or older.
HIV Preexposure Prophylaxis for the Prevention of HIV Infection	As prescribed	Persons who are at high risk of HIV acquisition.
HIV Screening	1 per plan year	Adolescents and adults aged 15 to 65 years. Younger adolescents and older adults who are at increased risk should also be screened. Pregnant persons including those who present in labor, who are untested and whose HIV status is unknown.
Hypertension in Adults	1 per plan year	Screening for hypertension in adults 18 years or older with office blood pressure measurement (OBPM).
Hypertensive Disorders of Pregnancy	1 per plan year	Screening for hypertensive disorders in pregnant persons with blood pressure measurements throughout pregnancy.
Hypothyroidism Screening	1 per plan year	Screening for congenital hypothyroidism in newborns .
Intimate Partner Violence Screening	1 per plan year	Screening for intimate partner violence, in women of reproductive age and provide or refer women who screen positive to ongoing supporting services.
Latent Tuberculosis Infection Screening in Adults	1 per plan year	Screening for latent tuberculosis infection in populations at risk.
Lung Cancer Screening	1 per plan year	With low-dose computed tomography in adults aged 50 to 80 years who have a 20 pack-year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.
Obesity screening and Counseling	1 per plan year	To children and adolescents 6 years and older with a high body mass index (BMI) ($\geq$ 95 th percentile for age and sex) and offer them to comprehensive, intensive behavioral interventions to promote improvements in weight status. Clinicians should offer or refer adults with a body mass index (BMI) of 30 kg/m ² or higher to intensive, multicomponent behavioral interventions to prevent obesity-related morbidity and mortality in adults.
Ocular Gonorrhea Prophylactic for Gonococcal Ophthalmia	As prescribed	Prophylactic ocular topical medication for all newborns to prevent gonococcal ophthalmia neonatorum.
Osteoporosis Screening	1 per plan year	In women aged 65 and older and in postmenopausal women younger than 65 years with one (1) more risk factor for osteoporosis.
Phenylketonuria Screening	1 per plan year	Screening for phenylketonuria in newborns .
Prediabetes and Type 2 Diabetes Screening	1 per plan year	Screening for prediabetes and type 2 diabetes in adults aged 35 to 70 years who are overweight or obese. Clinicians should offer or refer patients with prediabetes to effective preventive interventions.
Preeclampsia Screening	1 per plan year	Pregnant women with blood pressure measurements throughout pregnancy.
RH Incompatibility Screening: 24–28 Weeks' Gestation	1 per plan year	Repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24 to 28 weeks' gestation, unless the biological father is known to be Rh (D)-negative.
Rh Incompatibility Screening: First Pregnancy Visit	1 per plan year	Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care.
Sexually Transmitted Infections Counseling	1 per plan year	Intensive behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections.
Skin Cancer Behavioral Counseling	1 per plan year	Counseling young adults, adolescents, children, and parents of young children about minimizing their exposure to ultraviolet radiation for persons aged 6 months to 24 years with fair skin types to reduce their risk for skin cancer.
Statin Preventive Medication	As prescribed	Adults without a history of cardiovascular disease (CVD) (i.e., symptomatic coronary artery disease or ischemic stroke) use a low- to moderate-dose statin for the prevention of CVD events and mortality when all of the following criteria are met: 1) they are aged 40 to 75 years; 2) they have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking); and 3) they have a calculated 10-year risk of a cardiovascular event of 10% or greater. Identification of dyslipidemia and calculation of 10-year CVD event risk requires universal lipids screening in adults ages 40 to 75 years.
Syphilis Screening	1 per plan year	Screening asymptomatic, nonpregnant adolescent and adults who are at increased risk for infection. All pregnant women .
Tobacco Use Counseling and Interventions	2 per plan year	Provide behavioral interventions for cessation to all adults who use tobacco, advise them to stop using tobacco, and provide behavioral interventions, U.S. Food and Drug Administration (FDA) approved pharmacotherapy for cessation to adults who use tobacco is covered. Provide behavioral interventions for cessation to all pregnant persons who use tobacco. Interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents .
Unhealthy Drug Use Screening	1 per plan year	Screening by asking questions about unhealthy drug use in adults 18 years or older. Screening should be implemented when services for accurate diagnosis, effective treatment, and appropriate care can be offered or referred. (Screening refers to asking questions about unhealthy drug use, not testing biological specimens.)
Vision Screening	1 time every 2 plan years	All children aged 3 to 5 years to detect amblyopia or its risk factors.
Well-Woman Visits	1 per plan year	Women under 65 to obtain the recommended preventive services that are age and developmentally appropriate, including preconception care and many services necessary for prenatal care.
Well-Child Visits	1 per plan year	Children to obtain the recommended preventive services that are age and developmentally appropriate. (Covers 1 visit except as more frequently recommended for children under the age of 3 years.)

Immunizations

Recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for routine use in children, adolescents, or adults*

Birth Through Six Years Old		
Abbreviations	Vaccines	Age Requirements and Limitations
RSV antibody	Respiratory syncytial virus	Ages birth - 7 months (Depends on mother's RSV vaccine status)
HepB	Hepatitis B	Ages birth - 2 months
		Ages 6 months - 18 months
DTaP	Diphtheria, Tetanus, and Pertussis	Ages 2 months - 6 months
		Ages 15 months - 18 months
		Ages 4 - 6 years
Hib	Haemophilus influenzae type b	Ages 2 months - 4 months (third dose at 6 months depends on the brand used for previous dose)
		Ages 12 months - 15 months
PCV15, PCV20	Pneumococcal conjugate	Ages 2 months - 6 months
		Ages 12 months - 15 months
IPV	Inactivated Poliovirus	Ages 2 months - 18 months
		Ages 4 - 6 years
Flu	Influenza (yearly)	Ages 6 months - 6 years
MMR	Measles, mumps, and rubella	Ages 12 months - 15 months
		Ages 4 - 6 years
VAR	Varicella	Ages 12 months - 15 months
		Ages 4 - 6 years
HepA	Hepatitis A	Ages 12 months - 23 months (1st dose)
		Six months after the last dose (2nd dose)
RV	Rotavirus	Ages 2 months - 4 months (third dose at 6 months depends on the brand used for previous dose)
COVID-19	Coronavirus disease	Ages 6 months - 6 years
Children From Seven Through Eighteen Years Old		
Abbreviations	Vaccines	Age Requirements and Limitations
COVID-19	Coronavirus disease	Ages 7 - 18 years
Flu	Influenza (yearly)	Ages 7 - 18 years
Tdap	Tetanus, diphtheria, and pertussis	Ages 11 - 12 years
HPV	Human papillomavirus	Ages 11 - 12 years (2 shots series) Note: A 3-shot series of HPV vaccine is needed for those with weakened immune systems and those who start the series at 15 years or older
MenACWY	Meningococcal	Ages 11-12 years
MenACWY	Meningococcal Booster	Age 16 (recommended)
Dengue	Dengue vaccine	Ages 9-16 years who live in dengue endemic areas and have laboratory confirmation of previous dengue infection
Adults Nineteen Years or Older		
Abbreviations	Vaccines	Age Requirements and Limitations
COVID-19	Coronavirus disease	Ages 19 ≥ 65 years
Flu	Influenza	Ages 19 ≥ 65 years (1 dose annually)
Tdap or Td	Tetanus, diphtheria, and acellular pertussis	Ages 19 ≥ 65 years (Tdap every pregnancy. TD or Tdap booster every 10 years for all adults)
MMR	Measles, mumps, and rubella	Some adults: Ages 19 - 64 years - 1 or 2 doses depending on indication (if born in 1957 or later)
VAR	Varicella	Ages 19 - 37 years - 2 doses (if born in 1980 or later)
RZV	Zoster recombinant	Ages 50 ≥ 65 years - 2 doses
HPV	Human papillomavirus	Ages 19 - 26 years - 2 or 3 doses depending on age at initial vaccination
PCV15, PCV20, PCV21, PPSV23	Pneumococcal conjugate (PCV15, PCV20, PCV21)	Ages ≥ 65 years
	Pneumococcal polysaccharide-PPSV23	
HepB	Hepatitis B	Ages 19-59 years (2, 3 or 4 doses depending on vaccine or condition)
RSV	Respiratory syncytial virus	If aged 75 years or older

* Immunization illustrations listed herein are based upon CDC recommendations contained in the following schedules: (i) Recommended Child and Adolescent Immunization Schedule (available at: <https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html>), and (ii) Recommended Adult Immunization Schedule (available at: <https://www.cdc.gov/vaccines/schedules/hcp/imz/adult.html>). Additional immunization scenarios not included in the aforementioned illustrations (such as catch-up immunization recommendations, immunization recommendations for certain high-risk groups, and immunization recommendations subject to individual clinical decision-making) may also be covered under this Plan pursuant to CDC recommendation. Information concerning these additional covered immunization scenarios (including vaccine type, age requirements, and frequency) is available online under the CDC schedule links listed above. Paper copies of these CDC schedules can also be obtained free of charge by written request to the Plan Administrator.

