U65 FIRST RESPONDERS ULTRA PLAN



The ULTRA Plan covers Preventive and Wellness Services, Inpatient and Outpatient Hospital, Physician Services and Pharmacy Benefits. The plan requires deductibles, coinsurance, and copays for various covered In-Network services and some Out-of-Network services.

| Deductible [†] | Participating Providers (In-Network) | Non-Participating Providers (Out-of-Network) ¹ |
|--------------------------------|---|--|
| Individual | \$500 | \$1,000 |
| Family | \$1,000 | \$2,000 |

| Out-of-Pocket Maximum [†] | Participating Providers (In-Network) | Non-Participating Providers (Out-of-Network) ¹ | |
|------------------------------------|---|--|--|
| Individual | \$4,500 | \$9,000 | |
| Family | \$9,000 | \$18,000 | |

The following table represents the medical services currently covered under the ULTRA Plan, as well as the permitted interval and any requirements of such medical services. This plan does not utilize a network for any facilities. All services performed in a medical facility (for example, a hospital as opposed to a primary care physician's office) will be subject to Reference Based Pricing (RBP) reimbursements based on a multiple of the Medicare Reimbursement Rate.

| a multiple of the Medicare Reimbur | sement kate. | | | |
|---|------------------------------|-------------------------------------|---|---|
| Plan Provisions | | Prior Auth Required ² | Participating Providers (In-Network) | Non-Participating Providers (Out-of-Network) ¹ |
| PHYSICIAN SERVICES | | | | |
| Primary Care Office Visit | | No | \$25 Copay | Plan pays 20%, after ded. |
| Specialist Office Visit | | No | \$50 Copay | Plan pays 20%, after ded. |
| X-ray and Lab Services Performed | in the Office | No | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Other Physician Services Performe | d in the Office ³ | Yes ⁴ | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Urgent Care | | No | \$40 Copay | Plan pays 20%, after ded. |
| Telemedicine Vendor Services | | No | \$0 Copay | Not Applicable |
| PREVENTIVE & WELLNESS SERV | 'ICES | | | |
| (See Schedule of Preventive | Non-Hospital Based | No | \$0 Copay | Plan pays 20%, after ded. |
| Health Services) | Hospital Based | No | Not Covered | Not Covered |
| Adult Routine Physical Exam, Annual Routine Mammogram, GYN Exam and PSA | | No | \$0 Copay | Plan pays 20%, after ded. |
| HOSPITAL/FACILITY SERVICES (S | Subject to Reference Base | d Pricing) | | |
| Inpatient Hospitalization | | Yes | | |
| Inpatient Visits - Physician | | No | | |
| Inpatient Surgery - Physician and A | Anesthesiologist | ,, | | |
| Charges (Second surgical opinion may be required) | | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Outpatient Hospital or Freestanding Facility Services and Surgery | | Yes | | |
| Anesthesia | | No | | |
| Emergency Room Facilities and Covered Services ⁵ | | No | \$500 Copay (copay waived if admitted) (Hospital charges subject to deductible, coinsurance and Reference Based Pricing | |
| OUTPATIENT: DIAGNOSTIC SER | VICES | | | |
| Laboratory & Minor Diagnostic | Non-Hospital Based | No | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Services (Laboratory Services, Ultrasounds, Bone Density, Echography, etc.) | Hospital Based | No | Not Covered | Not Covered |
| Padialage. | Non-Hospital Based | No | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Radiology | Hospital Based | No | Not Covered | Not Covered |
| CT/MRI/MRA/PET Scan | Non-Hospital Based | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| | Hospital Based | No | Not Covered | Not Covered |
| PREGNANCY BENEFITS | | | | |
| Professional Services | | No | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Maternity/Childbirth/Delivery (Considered Inpatient Hospital Stay) | | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |

| Plan Provisions | | Prior Auth Required ² | Participating Providers (In-Network) | Non-Participating Providers (Out-of-Network) ¹ |
|--|--------------------------|-------------------------------------|---|---|
| OTHER SERVICES | | | | |
| Chemotherapy/Radiation Therapy | | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Chiropractic Care (Limited to 10 visits per plan year) | | No | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Colonoscopy (Diagnostic purposes) | | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Dialysis | | No | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Durable Medical Equipment Subject to limitations) | | No | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Emergency Medical Transportate Subject to limitations) | tion ⁵ | No | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Home Health Care Limited to 120 visits per plan year) | | Yes | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Hospice Care | | Yes | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Rehabilitation/Habilitation Services (Physical, Speech, and Occupational; Combined limit of 25 visits per plan year. Pre-authorization is required after 6 visits) | | Yes | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Skilled Nursing Care (Limited to 120 days per plan year) | | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Sleep Apnea (Limited to at-home testing and \$500 annual maximum benefit for machine and supplies) | | Yes | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| Transplant - Facility | | Yes | | |
| Transplant - Physician and Anesthesiologist Charges during Inpatient Hospitalization | | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Mental Health, Behavioral Health, or Substance Abuse | Inpatient or Partial Day | Yes | Plan pays 80%, after deductible (Subject to Reference Based Pricing) | |
| Services | Outpatient | No | Plan pays 80%, after ded. | Plan pays 20%, after ded. |
| /ISION BENEFITS ⁶ | | | | |
| n-Office Comprehensive Vision | Exams | No | \$0 Copay | Up to \$35 benefit |
| Eyewear Allowance for frames of | or contacts | No | \$150 every two (2) years | |
| PHARMACY BENEFITS | | | Retail ⁸ (30-day supply) | Mail Order (90-day supply) |
| Prescription Medications (Subjections) | ct to Formulary) | | | |
| ACA Preventive Drugs | | | \$0 Copay | \$0 Copay |
| Generic Drugs (non-preventive) | | | \$5 Copay | \$10 Copay |
| Preferred Brand Drugs | | | Plan pays 80% | |
| Non-Preferred Brand Drugs | | | Plan pays 70%, after ded. | |
| Specialty Drugs | | | Managed | N/A |
| Automated Diabetic Supplies (Continuous glucose monitors (CGMs) and insulin pumps) | | | | pays 80% non-participating pharmacy) |

¹ In addition to the copay or coinsurance listed, the member will be responsible for any billed charges in excess of reasonable and customary rates. Such charges will not apply toward the satisfaction of the plan's Out-of-Pocket Maximum

² If prior authorization is not obtained for services requiring a prior authorization, the benefits payable by the Plan for such services will be reduced to 50% of the allowed charges after the copay.

³The plan will only reimburse buy and bill drugs up to the lessor of the allowed amount or network rate or the amount that the Third-Party Administrator or Pharmacy Benefits Manager could source the drug for.

⁴ Prior authorization is required for any service or procedure over \$1,000.

⁵ If the Plan covers Emergency Room and/or Ambulance Services, those services will be covered if they are provided by an Out-of-Network provider and will be reimbursed at the In-Network level of benefits .

⁶Vision benefits are provided outside of the Group Health Plan through a service contract and are subject to provisions and limitations in the HBAVisionsSM Summary of Benefits.

⁷To be eligible for pharmacy benefits covered prescriptions must be dispensed through participating pharmacies and mail order channels.

⁸ Retail copay for 90-day supply is 2x the retail copay for 30-day supply.

Exclusions

The following exclusions apply to the benefits offered under this Plan:

- Office visits, physical examinations, immunizations, and tests when required solely for the following:
 - a. Sports, e. Insurance, b. Camp, f. Marriage, c. Employment, g. Legal proceedings
 - d. Travel.
- 2. Routine foot care for treatment of the following:

a. Flat feet,
b. Corns,
c. Bunions,
d. Calluses,
e. Toenails,
f. Fallen arches,
g. Weak feet,
h. Chronic foot strain

- 3. Dental Procedures
- Any other medical service, treatment, or procedure not specifically listed in this Schedule of Benefits
- 5. Any other expense, bill, charge, or monetary obligation not covered under this Plan, including but not limited to all non-medical service expenses, bills, charges, and monetary obligations. Unless the medical service is explicitly provided by an appendix or otherwise explicitly provided in the Plan Document, this Plan does not cover the medical service or any related expense, bill, charge, or monetary obligation to the medical service
- 6. Claims unrelated to treatment of medical care or treatment
- Cosmetic surgery unless authorized as medically necessary. Such authorization is based on the following causes for cosmetic surgery: accidental injury, correction or congenital deformity within six (6) years of birth, or as a treatment of a diseased condition
- 8. Any treatment with respect to treatment of teeth or periodontium, any treatment of periodontal or periapical disease involving teeth surrounding tissue, or structure. Exceptions to this exclusion include only malignant tumors or benefits specifically noted in the schedule of benefits or the Plan Document
- Any claim related to an injury arising out of, or in the course of, any employment for wage or profit that would be covered by other coverage for which the member is eligible
- 10. Claims for which a participant is not legally required to pay or claims which would not have been made if this Plan had not existed
- 11. Claims for services which are not medically necessary as determined by this Plan or the excess of any claim above reasonable and customary rates when a PPO network has not been contracted
- Charges which are or could be reimbursed by any public health program irrespective of whether such coverage has been elected by a participant
- Claims due to an act of war, declared or undeclared, not including acts of terrorism
- Claims for eyeglasses, contacts, hearing aids (or examinations for the fitting thereof) or radial keratotomy
- 15. Elective, voluntary abortions, except in the case of rape, incest, or congenital deformities of the fetus as determined through pre-natal testing, or when the life of the mother would be threatened if the fetus were carried to term
- 16. Travel, unless specifically provided in the schedule of benefits
- 17. Custodial care for primarily personal, not medical, needs provided by persons with no special medical training or skill
- 18. Claims from any provider other than a healthcare provider as defined in the Plan Document unless explicitly permitted in the schedule of benefits
- Investigatory or experimental treatment, services, or supplies unless specifically covered under Approved Clinical Trials
- 20. Services or supplies which are primarily educational
- 21. Claims due to attempted suicide or intentionally self-inflicted injury while sane or insane, unless the claim results from a medical condition such as depression
- 22. Claims resulting from, or which arise due to the attempt or commission of, an illegal act. Claims by victims of domestic violence will not be subject to this exclusion
- 23. Claims with respect to any treatment or procedure to change one's physical anatomy to those of the opposite sex and any other treatment or study related to sex change
- Claims from a medical service provider who is related by blood, marriage, or legal adoption to a participant
- 25. Any claims for fertility or infertility treatment
- Claims for weight control, weight reduction, or surgical treatment for obesity or morbid obesity, unless explicitly provided in the schedule of benefits
- 27. Claims for disability resulting from reversal of sterilization

- Claims for the completion of forms, or failure to keep scheduled appointments
- 29. Recreational or diversional therapy
- Personal hygiene or convenience items, including but not limited to air conditioning, humidifiers, hot tubs, whirlpools, or exercise equipment, irrespective of the recommendations or prescriptions of a medical service provider
- 31. Claims for the care and/or treatment of an injury or illness resulting from engaging in a hazardous pursuit, hobby, or activity. A pursuit, hobby, or activity is hazardous if it is characterized by a constant threat of danger or by an increased risk of bodily harm. Examples of hazardous pursuits, hobbies or activities include, but are not limited to, adventure sports such as skydiving, hang gliding, rappelling, rock climbing, bungee jumping, parasailing, use of all-terrain vehicles, motorcycle, boat or automobile racing, skiing off-piste, snowboarding off-piste, and activities such as reckless operation of a vehicle or other machinery, and motorcycle riding without a helmet
- 32. Claims that arise primarily due to medical tourism
- 33. Supportive devices of the foot
- 34. Treatments for sexual dysfunction
- 35. Aquatic or massage therapy
- 36. Biofeedback training
- 37. Private duty nursing, or long-term care
- 38. Residential facility for charges from a residential halfway house or home, or any facility which is not a health care institution licensed for the primary purpose of treatment of an illness or injury
- 39. Claims for temporomandibular joint syndrome
- Claims for biotech or specialty drugs, including biologics and hemophiliac drugs
- 41. Genetic testing unless explicitly covered in the schedule of benefits
- 42. Claims for cosmetic surgery, not related to mastectomy reconstruction to produce a symmetrical appearance or prosthesis, or physical complications which result from such procedures
- 43. Acupuncture
- 44. Alternative medicine/homeopathy
- 45. Pediatric dental and vision
- 46. Routine eye care (Adult)
- 47. All maternity coverage for dependent children, including adult children up to age 26, and all coverage for the resultant newborn child. However, ACA mandated Preventive Health Services are not excluded
- 48. Use of Emergency Room Services for non-emergency care
- 49. This coverage does not include benefits for grandchildren (unless they are under your legal guardianship)
- 50. Any claim arising from service received outside of the United States and its territories of American Samoa, Guam, the Northern Mariana Islands, Puerto Rico and the U.S. Virgin Islands
- 51. Emerging gene and cell therapies
- 52. CAR-T therapies

The purpose of this list of exclusions is solely to provide additional clarity regarding treatments, procedures, products, services, or any other items which are not covered under this plan. Accordingly, no exclusion shall be interpreted by negative implication, or otherwise, as evidence of the existence of coverage under this plan.



Preventive Health Services: Limitations, Intervals, and Requirements¹

The following table represents the preventive services currently covered under this Plan as well as the permitted interval and any requirements of such preventive services. Benefits are automatically subject to 29 CFR § 2590.715 -2713(a). Amendments to this section through legislative act or regulation are automatically incorporated into this document by reference.

Preventive Health Services

Covered Benefits

Preventive Services covered in this section are explained in more detail through the following official resources:

- Medical services with a rating of "A" or "B" from the current recommendations of the United States Preventive Services Task Force. See https://www.uspreventiveservicestaskforce.org
- Preventive care and screenings for infants, children, and adolescents provided for in the comprehensive guidelines supported by the Health Resources and Services Administration. Guidelines can be found in https://www.hrsa.gov
- Immunizations recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for certain individuals only. See https://www.cdc.gov/vaccines/acip

| Benefit | Interval | Requirements | |
|---|--------------------------------|---|--|
| Abdominal Aortic Aneurysm Screening | 1 per lifetime | By ultrasonography in men ages 65-75 years who have ever smoked. | |
| Adult Annual Standard Physical | 1 per plan year | Adults, one (1) physical preventive exam per plan year. | |
| Alcohol Misuse: Unhealthy Alcohol Use Screening and Counseling | 1 per plan year | Screenings for unhealthy alcohol use in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use. | |
| Anxiety Disorders in Adults | 1 per plan year | Screening for anxiety disorders in adults 64 years or younger, including pregnant and postpartum persons. | |
| Anxiety in Children and Adolescents | 1 per plan year | Screening for anxiety disorders in children and adolescents aged 8 to 18 years. | |
| Aspirin: Preventive Medication | As prescribed | Adults ages 50 to 59 with high risk of cardiovascular diseases and for the primary prevention of cardiovascular disease and colorectal cancer. | |
| | | Low-dose aspirin (81 mg/d) as preventive medication for women after 12 weeks of gestation who are at high risk for preeclampsia. | |
| Bacteriuria Screening | 1 per plan year | Screening for asymptomatic bacteriuria with urine culture in pregnant women at 12 to 16 weeks' gestation or at the first prenatal visit, if later. | |
| BRCA Risk Assessment and Genetic Counseling/Testing | 1 per plan year | Screening to women who have family members with breast, ovarian, tubal, or peritoneal cancer with one of several screening tools designed to identify a family history that may be associated with an increased risk for potentially harmful mutations in breast cancer susceptibility genes (BRCA 1 or BRCA2). | |
| Counseling resums | | Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing. | |
| Breast Cancer Preventive Medications | As prescribed | Risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors for women aged 35 years or older who are at increased risk for breast cancer and at low risk for adverse medication effects. | |
| Breast Cancer Screening | Every 2 years | Coverage limited to one (1) biennial screening mammography (2D or 3D), with or without clinical breast examination (CBE), for women aged 40 to 74 years. | |
| Breastfeeding Support, Supplies and Counseling | In Conjunction with each birth | Interventions during pregnancy and after birth to support breastfeeding. Costs for renting breastfeeding equipment will be covered in conjunction with each birth. | |
| Cervical Cancer Screening: with Combination of Cytology and Human Papilloma Virus (HPV) testing | 1 time every 5 plan years | Women age 30 to 65 years with high-risk papillomavirus (hrHPV) testing alone, or in combination with cytology. | |
| Cervical Cancer Screening: with Cytology (Pap Smear) | 1 time every 3 plan years | Women age 21 to 65 years with cervical cytology alone. | |
| Chlamydia Screening | 1 per plan year | Sexually active women age 24 and younger and in women 25 years or older who are at increased risk infection. | |
| Colorectal Cancer Screening | 1 time every 5 plan years | All adults aged 45 to 75 years. | |
| Contraceptive Methods and Counseling | As prescribed | Food and Drug Administration (FDA) approved contraceptive methods, sterilization procedures, and patient education and counseling for all women with reproductive capacity, not including abortifacient drugs. | |
| Dental Caries Prevention: Infants and Children Up to Age 5 | 1 per plan year | Application of fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption and prescription of oral fluoride supplementation starting at age 6 months for children whose water supply is fluoride deficient. | |
| | 1 per plan year | Screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up | |
| Depression and Suicide Risk Screening | | Screening for depression in the general adult population, including pregnant and postpartum persons, as well as older adults . Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. Pregnant and postpartum persons at increased risk of perinatal depression should be referred to counseling interventions. | |
| Fall Prevention: Older Adults | 1 per plan year | Exercise interventions to prevent falls in community-dwelling adults age 65 years and older who are at increased risk for falls. | |
| Folic Acid Supplementation for the Prevention of Neural Tube Defects | As prescribed | Daily supplement containing 0.4 to 0.8 mg (400 to 800µg) of folic acid for all women planning or capable of pregnancy. | |
| Gestational Diabetes Screening | 1 per plan year | Asymptomatic pregnant women at 24 weeks of gestation or after. | |
| Gonorrhea Screening | 1 per plan year | Sexually active women age 24 years or younger and in women 25 years or older who are at increased risk for infection. | |
| Healthy Diet and Physical Activity Counseling to Prevent Cardiovascular Disease | 1 per plan year | Adults with cardiovascular disease (CVD) risk factors to intensive behavioral counseling interventions to promote a healthy diet and physical activity. | |
| Healthy weight and weight gain in pregnancy | 1 per plan year | Pregnant persons, effective behavioral counseling interventions aimed at promoting healthy weight gain and preventing excess gestational weight gain in pregnancy | |
| Hemoglobinopathies Screening | 1 per plan year | Screening for sickle cell disease in newborns . | |

¹ Preventive Health Services, excluding those for newborn care, are not covered if they are provided at a hospital.

| Preventive Health Services | | | |
|---|---------------------------|---|--|
| Benefit | Interval | Requirements | |
| Hepatitis B Virus Infection Screening | 1 per plan year | Adolescent and adults at increased risk for infection. | |
| Trepatitis b virus finection screening | 1 per pian year | Pregnant women at their first prenatal visit. | |
| Hepatitis C Virus (HCV) Infection Screening | 1 per plan year | Adults aged 18 to 79 years. | |
| High Blood Pressure Screening | 1 per plan year | Screening for high blood pressure in adults aged 18 or older. | |
| HIV Preexposure Prophylaxis for the Prevention of HIV Infection | As prescribed | Persons who are at high risk of HIV acquisition. | |
| HIV Screening | 1 per plan year | Adolescents and adults aged 15 to 65 years. Younger adolescents and older adults who are at increased risk should also be screened. | |
| | | Pregnant persons including those who present in labor, who are untested and whose HIV status is unknown. | |
| Hypertension in Adults | 1 per plan year | Screening for hypertension in adults 18 years or older with office blood pressure measurement (OBPM). Screening for hypertensive disorders in pregnant persons with blood pressure measurements throughout | |
| Hypertensive Disorders of Pregnancy | 1 per plan year | pregnancy. | |
| Hypothyroidism Screening | 1 per plan year | Screening for congenital hypothyroidism in newborns . Screening for intimate partner violence, in women of reproductive age and provide or refer women who | |
| Intimate Partner Violence Screening | 1 per plan year | screen positive to ongoing supporting services. | |
| Latent Tuberculosis Infection Screening in Adults | 1 per plan year | Screening for latent tuberculosis infection in populations at risk. With low-dose computed tomography in adults aged 50 to 80 years who have a 20 pack-year smoking history | |
| Lung Cancer Screening | 1 per plan year | and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery. | |
| | | To children and adolescents 6 years and older with a high body mass index (BMI) (≥ 95 th percentile for age and sex) and offer them to comprehensive, intensive behavioral interventions to promote improvements in weight status. | |
| Obesity screening and Counseling | 1 per plan year | Clinicians should offer or refer adults with a body mass index (BMI) of 30 kg/m ² or higher to intensive, multicomponent behavioral interventions to prevent obesity-related morbidity and mortality in adults. | |
| Ocular Gonorrhea Prophylactic for Gonococcal Ophthalmia | As prescribed | Prophylactic ocular topical medication for all newborns to prevent gonococcal ophthalmia neonatorum. | |
| Osteoporosis Screening | 1 per plan year | In women aged 65 and older and in postmenopausal women younger than 65 years who are at increased risk of osteoporosis. | |
| Phenylketonuria Screening | 1 per plan year | Screening for phenylketonuria in newborns . | |
| Prediabetes and Type 2 Diabetes Screening | 1 per plan year | Screening for prediabetes and type 2 diabetes in adults aged 35 to 70 years who are overweight or obese. Clinicians should offer or refer patients with prediabetes to effective preventive interventions. | |
| Preeclampsia Screening | 1 per plan year | Pregnant women with blood pressure measurements throughout pregnancy. | |
| RH Incompatibility Screening: 24–28 Weeks' Gestation | 1 per plan year | Repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24 to 28 weeks' gestation, unless the biological father is known to be Rh (D)-negative. | |
| Rh Incompatibility Screening: First Pregnancy Visit | 1 per plan year | Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care. | |
| Sexually Transmitted Infections Counseling | 1 per plan year | Intensive behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections. | |
| Skin Cancer Behavioral Counseling | 1 per plan year | Counseling young adults , adolescents , children , and parents of young children about minimizing their exposure to ultraviolet radiation for persons aged 6 months to 24 years with fair skin types to reduce their risk for skin cancer. | |
| | As prescribed | Adults without a history of cardiovascular disease (CVD) (i.e., symptomatic coronary artery disease or ischemic stroke) use a low- to moderate-dose statin for the prevention of CVD events and mortality when all of the following criteria are met: | |
| Statin Preventive Medication | | they are aged 40 to 75 years; they have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking); and they have a calculated 10-year risk of a cardiovascular event of 10% or greater. Identification of dyslipidemia and calculation of 10-year CVD event risk requires universal lipids screening in adults ages 40 to 75 years. | |
| Syphilis Screening | 1 per plan year | Screening asymptomatic, nonpregnant adolescent and adults who are at increased risk for infection. All pregnant women. | |
| Tobacco Use Counseling and Interventions | 2 per plan year | Provide behavioral interventions for cessation to all adults who use tobacco, advise them to stop using tobacco, and provide behavioral interventions, U.S. Food and Drug Administration (FDA) approved pharmacotherapy for cessation to adults who use tobacco is covered. | |
| | | Provide behavioral interventions for cessation to all pregnant persons who use tobacco. | |
| | | Interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. | |
| Unhealthy Drug Use Screening | 1 per plan year | Screening by asking questions about unhealthy drug use in adults 18 years or older. Screening should be implemented when services for accurate diagnosis, effective treatment, and appropriate care can be offered or referred. (Screening refers to asking questions about unhealthy drug use, not testing biological specimens.) | |
| Vision Screening | 1 time every 2 plan years | All children aged 3 to 5 years to detect amblyopia or its risk factors. | |
| Well-Woman Visits | 1 per plan year | Women under 65 to obtain the recommended preventive services that are age and developmentally appropriate, including preconception care and many services necessary for prenatal care. | |
| Well-Child Visits | 1 per plan year | Children to obtain the recommended preventive services that are age and developmentally appropriate. (Covers 1 visit except as more frequently recommended for children under the age of 3 years.) | |



Immunizations

Recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for routine use in children, adolescents, or adults*

| Birth Through Six Years Old | | | | | |
|-----------------------------|--|--|--|--|--|
| Abbreviations | Vaccines | Age Requirements and Limitations | | | |
| RSV antibody | Respiratory syncytial virus | Ages birth - 7 months (Depends on mother's RSV vaccine status) | | | |
| HepB Hepatitis B | Ages birth - 2 months | | | | |
| | Ages 6 months - 18 months | | | | |
| | | Ages 2 months - 6 months | | | |
| DTaP | Diphtheria, Tetanus, and Pertussis | Ages 15 months - 18 months | | | |
| | | Ages 4 - 6 years | | | |
| 112 | | Ages 2 months - 4 months (third dose at 6 months depends on the brand used for previous dose) | | | |
| Hib | Haemophilus influenzae type b | Ages 12 months - 15 months | | | |
| DOI 412 DOI 415 | | Ages 2 months - 6 months | | | |
| PCV13, PCV15 | Pneumococcal | Ages 12 months - 15 months | | | |
| 1817 | 0.11 | Ages 2 months - 18 months | | | |
| IPV | Poliovirus | Ages 4 - 6 years | | | |
| Flu | Influenza (yearly) | Ages 6 months - 6 years | | | |
| | | Ages 12 months - 15 months | | | |
| MMR | Measles, mumps, and rubella | Ages 4 - 6 years | | | |
| | | Ages 12 months - 15 months | | | |
| VAR | Varicella | Ages 4 - 6 years | | | |
| | | Ages 12 months - 23 months (1st dose) | | | |
| HepA | Hepatitis A | Six months after the last dose (2nd dose) | | | |
| RV | Rotavirus | Ages 2 months - 4 months (third dose at 6 months depends on the brand used for previous dose) | | | |
| COVID-19 | Coronavirus disease | Ages 6 months - 6 years | | | |
| | Children From | Seven Through Eighteen Years Old | | | |
| Abbreviations | Vaccines | Age Requirements and Limitations | | | |
| COVID-19 | Coronavirus disease | Ages 7 - 18 years | | | |
| Flu | Influenza (yearly) | Ages 7 - 18 years | | | |
| Tdap | Tetanus, diphtheria, and pertussis | Ages 11 - 12 years | | | |
| HPV | Human papillomavirus | Ages 11 - 12 years (2 shots series) Note: A 3-shot series of HPV vaccine is needed for those with weakened immune systems and those who start the series at 15 years or older | | | |
| MenACWY | Meningococcal | Ages 11-12 years | | | |
| MenACWY | Meningococcal Booster | Age 16 (recommended) | | | |
| Dengue | Dengue vaccine | Ages 9-16 years who live in dengue endemic areas and have laboratory confirmation of previous dengue infection | | | |
| | Adults Nineteen Years or Older | | | | |
| Abbreviations | Vaccines | Age Requirements and Limitations | | | |
| COVID-19 | Coronavirus disease | Ages 19 ≥ 65 years | | | |
| Flu | Influenza | Ages 19 > 65 years (1 dose annually) | | | |
| Tdap or Td | Tetanus, diphtheria, and acellular pertussis | Ages 19 > 65 years (1 dose Tdap every pregnancy. TD or Tdap booster every 10 years for all adults) | | | |
| MMR | Measles, mumps, and rubella | Some adults: Ages 19 - 64 years - 1 or 2 doses depending on indication (if born in 1957 or later) | | | |
| VAR | Varicella | Ages 19 - 37 years - 2 doses (if born in 1980 or later) | | | |
| RZV | Zoster recombinant | Ages 50 ≥ 65 years - 2 doses | | | |
| | | - | | | |

If aged 75 years or older

Ages ≥ 65 years

Ages 19 - 26 years - 2 or 3 doses depending on age at initial vaccination

Ages 19-59 years (2, 3 or 4 doses depending on vaccine or condition)



PCV15, PCV20, PPSV23

HPV

НерВ

RSV

Human papillomavirus

Hepatitis B

Pneumococcal polysaccharide

Respiratory syncytial virus

Pneumococcal conjugate (PCV15, PCV20)

^{*} Immunization illustrations listed herein are based upon CDC recommendations contained in the following schedules: (i) Recommended Child and Adolescent Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and (ii) Recommended Adult Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and (iii) Recommended Adult Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and (iii) Recommended Child and Adolescent Immunization Schedules/hcp/imz/child-adolescent.html), and (iii) Recommended Child and Adolescent Immunization Schedules (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and (iii) Recommended Adult Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and immunization scenarios (including vaccine type, age requirements, and frequency) is available online under the CDC schedule links listed above. Paper copies of these CDC schedules can also be obt